Humana.

HEDIS® 2014 (MEASUREMENT YEAR 2013)
BEHAVIORAL HEALTH MEASURES AND CODES GUIDE ‡

HEDIS Measure	HEDIS Criteria/Documentation	Coding System	Methodology
ADD – Follow-up Care for Children Prescribed With Attention-Deficit/ Hyperactivity Disorder Medication	The percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication was dispensed. **Two rates are reported**: 1. Initiation Phase: The percentage of members 6 to 12 years old as of the index prescription start date (IPSD) with an ambulatory prescription dispensed for ADHD medication who had one follow-up visit with a practitioner with prescribing authority during the 30-day initiation phase. 2. Continuation and Maintenance (C&M) Phase: The percentage of members 6 to 12 years old as of the IPSD with an ambulatory prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and who, in addition to the visit in the initiation phase, had at least two follow-up visits with a practitioner within 270 days (nine months) after the initiation phase ended.	**Codes to Identify Follow-up Visits**: **CPT**: 90791, 90792, 90804-90815, 90832-90840, 96150-96154, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99383, 99384, 99393, 99394, 99401-99404, 99411, 99412, 99510 **HCPCS**: G0155, G0176, G0177, G0409-G0411, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485 **UB Revenue**: 0510, 0513, 0515-0517, 0519-0523, 0526-0529, 0900, 0902-0905, 0907, 0911-0917, 0919, 0982, 0983 **CPT Codes to Identify Follow-up Visits With Place of Service (POS)**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90875, 90876 **With** **POS**: 03, 05, 07, 09, 11, 12, 13, 14, 15, 20, 22, 33, 49, 50, 52, 53, 71, 72 **CPT Codes to Identify Follow-up Visits With Place of Service (POS)**: **CPT**: 99221-99223, 99231-99233, 99238, 99239, 99251-99255 **With** **POS**: 52, 53 **CPT Codes to Identify Telephone Visits**: 98966-98968, 99441-99443 **Code to Identify Exclusions**: **Narcolepsy**: ICD-9-CM Diagnosis Code: 347	Claims/Encounter

Humana.

HEDIS® 2014 (MEASUREMENT YEAR 2013)
BEHAVIORAL HEALTH MEASURES AND CODES GUIDE ‡

AMM – Antidepressant Medication Management	The percentage of members 18 years old and older who were diagnosed with a new episode of major depression, were treated with antidepressant medication and remained on an antidepressant medication treatment. **Two rates are reported**: • Effective Acute Phase Treatment: The percentage of newly diagnosed and treated members who remained on an antidepressant medication for at least 84 days (12 weeks). • Effective Continuation Phase Treatment: The percentage of newly diagnosed and treated members who remained on an antidepressant medication for at least 180 days (six months).	**ICD-9-CM Diagnosis Codes to Identify Major Depression**: 296.20-296.25, 296.30-296.35, 298.0, 311 **Codes to Identify Visit Type**: *Emergency Department*: **CPT**: 99281-99285 **UB Revenue**: 045x, 0981 *Outpatient, Intensive Outpatient and Partial Hospitalization*: **CPT**: 90791, 90792, 90804-90815, 90832-90840, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99411, 99412, 99510 **HCPCS**: G0155, G0176, G0177, G0409-G0411, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485 **UB Revenue**: 0510, 0513, 0515-0517, 0519-0523, 0526-0529, 0900, 0901, 0902-0905, 0907, 0911-0917, 0919, 0982, 0983 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255 *With* **POS**: 03, 05, 07, 09, 11, 12, 13, 14, 15, 20, 22, 24, 33, 49, 50, 52, 53, 71, 72	Claims/Encounter
FUH – Follow-up After Hospitalization for Mental Illness	The percentage of discharges for members 6 years old and older who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an intensive outpatient encounter or partial hospitalization	**ICD-9-CM Diagnosis Codes to Identify Mental Health Diagnosis**: 295-299, 300.3, 300.4, 301, 308, 309, 311-314 **Codes to Identify Visits**: **CPT****: 90791, 90792, 90804-90815, 90832-90840, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350,	Claims/Encounter

Humana.

	with a mental health practitioner. **Two rates are reported**: 1. The percentage of members who received follow-up within 30 days of discharge. 2. The percentage of members who received follow-up within seven days of discharge.	99383-99387, 99393-99397, 99401-99404, 99411, 99412, 99510 **HCPCS****: G0155, G0176, G0177, G0409-G0411, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485 **CPT With Place of Service (POS) Codes****: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876 *With* **POS**: 03, 05, 07, 09, 11, 12, 13, 14, 15, 20, 22, 24, 33, 49, 50, 52, 53, 71, 72 **CPT With POS Codes****: **CPT**: 99221-99223, 99231-99233, 99238, 99239, 99251-99255 *With* **POS**: 52, 53 **UB Revenue (do not need to identify practitioner type)**: 0513, 0900-0905, 0907, 0911-0917, 0919 **UB Revenue****: 0510, 0515-0517, 0519-0523, 0526-0529, 0982, 0983 ***Follow-up visits identified by these CPT codes must be with a mental health practitioner.*	
SSD – Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	The percentage of members 18 to 64 years old with schizophrenia or bipolar disorder who were dispensed an antipsychotic medication and had diabetes screening test during the measurement year.	<u>**Codes to Identify Visit Type**</u>: *<u>Acute Inpatient</u>*: **CPT With Place of Service (POS) Codes**: **CPT**: 90791, 90792, 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90832-90840, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291 *With* **POS**:21, 51 **UB Revenue**: 010x, 0110-0114, 0119, 0120-0124, 0129, 0130-0134, 0139, 0140-0144, 0149, 0150-0154, 0159, 016x, 020x, 021x, 072x, 0987 *<u>Outpatient, Intensive Outpatient and Partial Hospitalization</u>*: **CPT**: 90791, 90792, 90804-90815, 90832-90840, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99411, 99412, 99510 **HCPCS**: G0155, G0176, G0177, G0409-G0411, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480,	Claims/Encounter

Humana.

HEDIS® 2014 (MEASUREMENT YEAR 2013)
BEHAVIORAL HEALTH MEASURES AND CODES GUIDE ‡

		S9484, S9485 **UB Revenue**: 0510, 0513, 0516, 0517, 0519-0523, 0526-0529, 0900, 0901, 0902-0905, 0907, 0911-0917, 0919, 0982, 0983 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291 *With* **POS**: 03, 05, 07, 09, 11, 12, 13, 14, 15, 20, 22, 24, 33, 49, 50, 52, 53, 71, 72 *Emergency Department*: **CPT**: 90791, 90792, 90832-90840, 99281-99285 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99291 *With* **POS**: 23 **UB Revenue**: 045x, 0981 *Nonacute Inpatient*: **CPT**: 90791, 90792, 90832-90840**,** 99304-99310, 99315, 99316, 99318, 99324-99328, 99334-99337 **HCPCS**: H0017-H0019, T2048 **UB Revenue**: 0118, 0128, 0138, 0148, 0158, 019x, 0524, 0525, 055x, 066x, 1000, 1001, 1003-1005 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99291 *With* **POS**: 31, 32, 56 **ICD-9-CM Diagnosis Codes to Identify Schizophrenia**: 295 **ICD-9-CM Diagnosis Codes to Identify Bipolar Disorder**: 296.0, 296.1, 296.4, 296.5, 296.6, 296.7 **HCPCS Codes to Identify Antipsychotic Medications**: J1631, J2358, J2426, J2680, J2794 **Codes to Identify Diabetes Screening**: **CPT**: 80047, 80048, 80050, 80069, 82947, 82950, 82951	

Humana.

HEDIS® 2014 (MEASUREMENT YEAR 2013)
BEHAVIORAL HEALTH MEASURES AND CODES GUIDE ‡

		LOINC: 1518-0, 1554-5, 10450-5, 14995-5, 17865-7	
SMD – Diabetes Monitoring for People With Diabetes and Schizophrenia	The percentage of members 18 to 64 years old with schizophrenia and diabetes who had both an LDL-C test and an HbA1c test done during the measurement year.	**Codes to Identify Visit Type**: ***Acute Inpatient***: **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291 ***With* POS**: 21, 51 **UB Revenue**: 010x, 0110-0114, 0119, 0120-0124, 0129, 0130-0134, 0139, 0140-0144, 0149, 0150-0154, 0159, 016x, 020x, 021x, 072x, 0987 ***Outpatient, Intensive Outpatient and Partial Hospitalization***: **CPT**: 90804-90815, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99411, 99412, 99510 **HCPCS**: G0155, G0176, G0177, G0409-G0411, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485 **UB Revenue**: 0510, 0513, 0516, 0517, 0519-0523, 0526-0529, 0900, 0901, 0902-0905, 0907, 0911-0917, 0919, 0982, 0983 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291 ***With* POS**: 03, 05, 07, 09, 11, 12, 13, 14, 15, 20, 22, 24, 33, 49, 50, 52, 53, 71, 72 ***Emergency Department***: **CPT**: 99281-99285 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99291 ***With* POS**: 23 **UB Revenue**: 045x, 0981	Claims/Encounter

| | | *Nonacute Inpatient*:
CPT: 99304-99310, 99315, 99316, 99318, 99324-99328, 99334-99337
HCPCS: H0017-H0019, T2048
UB Revenue: 0118, 0128, 0138, 0148, 0158, 019x, 0524, 0525, 055x, 066x, 1000, 1001, 1003-1005
CPT With Place of Service (POS) Codes:
CPT: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99291 ***with*** **POS**: 31, 32, 56

ICD-9-CM Diagnosis Codes to Identify Schizophrenia: 295

Codes to Identify Visit Type for Diabetes:
Acute Inpatient:
CPT: 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291
UB Revenue: 010x, 0110-0114, 0119, 0120-0124, 0129, 0130-0134, 0139, 0140-0144, 0149, 0150-0154, 0159, 016x, 020x,021x, 072x, 080x, 0987
Nonacute Inpatient:
CPT: 99304-99310, 99315, 99316, 99318, 99324-99328, 99334-99337
UB Revenue: 0118, 0128, 0138, 0148, 0158, 019x, 0524, 0525, 055x, 066x
Outpatient:
CPT: 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99411, 99412, 99420, 99429, 99455, 99456
UB Revenue: 051x, 0520-5023, 0526-0529, 057x-059x, 082x-085x, 088x, 0983
Emergency Department:
CPT: 99281-99285
UB Revenue: 045x, 0981

ICD-9-CM Diagnosis Codes to Identify Diabetes: 250, 357.2, 362.0, 366.41, 648.0 | |

Humana.

HEDIS® 2014 (MEASUREMENT YEAR 2013)
BEHAVIORAL HEALTH MEASURES AND CODES GUIDE ‡

SMC – Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia	The percentage of members 18 to 64 years old with schizophrenia and cardiovascular disease who had an LDL-C test during the measurement year.	**Codes to Identify Visit Type**: *Acute Inpatient*: **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291 *With* **POS**: 21, 51 **UB Revenue**: 010x, 0110-0114, 0119, 0120-0124, 0129, 0130-0134, 0139, 0140-0144, 0149, 0150-0154, 0159, 016x, 020x, 021x, 072x, 0987 *Outpatient, Intensive Outpatient and Partial Hospitalization*: **CPT**: 90804-90815, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99411, 99412, 99510 **HCPCS**: G0155, G0176, G0177, G0409-G0411, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485 **UB Revenue**: 0510, 0513, 0516, 0517, 0519-0523, 0526-0529, 0900, 0901, 0902-0905, 0907, 0911-0917, 0919, 0982, 0983 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291 *With* **POS**: 03, 05, 07, 09, 11, 12, 13, 14, 15, 20, 22, 24, 33, 49, 50, 52, 53, 71, 72 *Emergency Department*: **CPT**: 99281-99285 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99291 *with* **POS**: 23 **UB Revenue**: 045x, 0981 *Nonacute Inpatient*: **CPT**: 99304-99310, 99315, 99316, 99318, 99324-99328, 99334-99337 **HCPCS**: H0017-H0019, T2048	Claims/Encounter

UB Revenue: 0118, 0128, 0138, 0148, 0158, 019x, 0524, 0525, 055x, 066x, 1000, 1001, 1003-1005
CPT With Place of Service (POS) Codes:
CPT: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99291 *with* **POS**: 31, 32, 56

ICD-9-CM Diagnosis Codes to Identify Schizophrenia: 295

Codes to Identify AMI, PCI, and CABG:
CPT: 33510-33514, 33516-33519, 33521-33523, 33533-33536
92980, 92982, 92995
HCPCS: S2205-S2209, G0290
ICD-9-CM Procedure: 36.1, 36.2, 00.66, 36.06, 36.07
ICD-9-CM Diagnosis: 410.x1

Codes to Identify Visit Type for IVD:
Acute Inpatient:
CPT: 99221-99223, 99231-99233, 99238, 99239, 99251-99256, 99291
UB Revenue: 010x, 0110-0114, 0119, 0120-0124, 0129, 0130-0134, 0139, 0140-0144, 0149, 0150-0154, 0159, 016x, 020x, 021x, 072x, 0987
Outpatient:
CPT: 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99411, 99412, 99420, 99455, 99456
UB Revenue: 051x, 0520-0523, 0526-0529, 057x-059x, 0982, 0983

ICD-9-CM Diagnosis Codes to Identify IVD: 411, 413, 414.0, 414.2, 414.8, 414.9, 429.2, 433-434, 440.1, 440.2, 440.4, 444, 445

Humana.

HEDIS® 2014 (MEASUREMENT YEAR 2013)
BEHAVIORAL HEALTH MEASURES AND CODES GUIDE ‡

SAA – Adherence to Antipsychotic Medications for Individuals With Schizophrenia	The percentage of members 19 to 64 years old during the measurement year with schizophrenia who were dispensed and remained on an antipsychotic medication for at least 80 percent of their treatment period.	**Codes to Identify Visit Type**: *Acute Inpatient*: **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291 *With* **POS**: 21, 51 **UB Revenue**: 010x, 0110-0114, 0119, 0120-0124, 0129, 0130-0134, 0139, 0140-0144, 0149, 0150-0154, 0159, 016x, 020x, 021x, 072x, 0987 *Outpatient, Intensive Outpatient and Partial Hospitalization*: **CPT**: 90804-90815, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99411, 99412, 99510 **HCPCS**: G0155, G0176, G0177, G0409-G0411, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485 **UB Revenue**: 0510, 0513, 0516, 0517, 0519-0523, 0526-0529, 0900, 0901, 0902-0905, 0907, 0911-0917, 0919, 0982, 0983 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291 *With* **POS**: 03, 05, 07, 09, 11, 12, 13, 14, 15, 20, 22, 24, 33, 49, 50, 52, 53, 71, 72 *Emergency Department*: *CPT*: 99281-99285 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99291 **POS**: 23 **UB Revenue**: 045x, 0981	Claims/Encounter

Humana.

		Nonacute Inpatient: **CPT**: 99304-99310, 99315, 99316, 99318, 99324-99328, 99334-99337 **HCPCS**: H0017-H0019, T2048 **UB Revenue**: 0118, 0128, 0138, 0148, 0158, 019x, 0524, 0525, 055x, 066x, 1000, 1001, 1003-1005 **CPT With Place of Service (POS) Codes**: **CPT**: 90801, 90802, 90816-90819, 90821-90824, 90826-90829, 90845, 90847, 90849, 90853, 90857, 90862, 90870, 90875, 90876, 99291 ***with* POS**: 31, 32, 56 **ICD-9-CM Diagnosis Code to Identify Schizophrenia**: 295	