

## HEDIS MEASURE OVERVIEW

# Controlling High Blood Pressure (CBP)

**Controlling High Blood Pressure (CBP) is an important preventive measure for your patients' health, and one of the Healthcare Effectiveness Data and Information Set (HEDIS®) performance measures used to evaluate the care and services provided by physicians and other healthcare providers.**

**Please note: The information offered in this flyer is based on HEDIS technical specifications. It is not meant to preclude your clinical judgment.**

### Who is included in the CBP measure?

Patients who are:

- 18–85 years old
- Diagnosed with hypertension (HTN) during two visits on different dates of service during the prior year or within the first six months of the current measurement year

**Note:** Visits with the HTN diagnosis can be outpatient, telehealth or an online assessment.

### Exclusions

Unless otherwise indicated, these apply to Medicare, Medicaid and commercial patients.




- Patients with Medicare coverage who are 66 years old and older enrolled in an Institutional Special Needs Plan (I-SNP) or living long-term in an institutional setting
- Patients 66–80 years old with frailty and advanced illness
- Patients 81 years old and older with at least two indications of frailty with different dates of service during the measurement year
- Patients in hospice, using hospice services or receiving palliative care\*
- Patients who died anytime during the measurement year\*
- Patients with evidence of end-stage renal disease, dialysis, nephrectomy or kidney transplant\*
- Patients who had a nonacute inpatient admission during the measurement year
- Pregnant women\*

*\* Required exclusion*

### Performing well on the CBP measure

To address and satisfy the CBP measure, patients diagnosed with HTN must have blood pressure (BP) that was adequately controlled (< 140/90 mmHg) during the measurement year on or after the date of the second diagnosis of hypertension. A BP measurement should have been taken and recorded during any of the following:

- Outpatient visit
- Telephone visit
- Telehealth (e-visit or virtual check-in)



**Humana®**

218105ALL0523-A GHKNULEN

Proper notation of the diagnosis in the medical record is essential if collected through medical chart review. Administrative data also can be used for reporting. Therefore, claims submitted throughout the year with applicable Current Procedural Terminology (CPT®) and CPT category II codes will impact patient compliance.

Humana also looks for the most recent documented or received BP reading during the measurement year reported via claims or supplemental data. BP readings taken by the patient using a digital device are eligible for use, and results can be reported verbally or by electronic submission, printout or screenshot.

### Measure best practices

Office visit:

- Document BP readings taken at each office visit.
- Do not round BP values. If using an automated machine, record exact values.
- If the BP is high (140/90 or greater) at the office visit, please take it again before the patient leaves the office. HEDIS allows use of the lowest systolic and diastolic readings taken in a given day, and the second reading is often lower.
- Review hypertensive medication history and patient compliance, and consider modifying treatment plans for uncontrolled BP, as needed.
- Have the patient return for a follow-up if the BP is out of target range.
- Ensure submitted claims or encounters include appropriate CPT II codes for BP readings.

Telehealth – advise patients on these best practices if they use a home blood pressure monitor:\*\*

- Don't smoke, drink caffeinated beverages or exercise within 30 minutes before the BP measurement.
- Allow at least five minutes of quiet rest before BP measurement.
- Sit with your back straight and supported with feet flat on the floor. Arm should be supported on a flat surface and upper arm should be at heart level.
- Measure at the same time every day and take multiple measurements one minute apart.
- Don't take measurement over clothes.

\*\* Follow this web link for more information: [www.heart.org/en/health-topics/high-blood-pressure/understanding-blood-pressure-readings/monitoring-your-blood-pressure-at-home](http://www.heart.org/en/health-topics/high-blood-pressure/understanding-blood-pressure-readings/monitoring-your-blood-pressure-at-home)

## Coding for the CBP measure

ICD-10 diagnosis code	<ul style="list-style-type: none"> <li>I10 – Essential (primary) hypertension Code that places the patient in the eligible population</li> </ul>
CPT category II codes  As part of a claim for an outpatient visit, a nonacute inpatient stay or a remote blood pressure monitoring event, please include the appropriate codes for the BP ranges observed.	Systolic: <ul style="list-style-type: none"> <li>3074F – blood pressure less than 130 mmHg (DM) (HTN, CKD, CAD)</li> <li>3075F – blood pressure 130–139 mmHg (DM)</li> <li>3077F – blood pressure greater than or equal to 140 mmHg (HTN, CKD, CAD) (DM)</li> </ul> Diastolic: <ul style="list-style-type: none"> <li>3078F – blood pressure less than 80 mmHg (HTN, CKD, CAD) (DM)</li> <li>3079F – blood pressure 80–89 mmHg (HTN, CKD, CAD) (DM)</li> <li>3080F – blood pressure greater than or equal to 90 mmHg (HTN, CKD, CAD) (DM)</li> </ul>
CPT codes for remote monitoring devices	<ul style="list-style-type: none"> <li>99457 – Remote physiologic monitoring treatment management services, 20 minutes or more of clinical staff/physician/other qualified healthcare professional time in a calendar month requiring interactive communication with the patient/caregiver during the month</li> </ul>

## NCQA copyright notice and disclaimer

The HEDIS measure specifications were developed by and are owned by NCQA. The HEDIS measure specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measure specifications. NCQA holds a copyright in these materials and can rescind or alter these materials at any time. These materials may not be modified by anyone other than NCQA. Use of the Rules for Allowable Adjustments of HEDIS to make permitted adjustments of the materials does not constitute a modification. Any commercial use and/or internal or external reproduction, distribution and publication must be approved by NCQA and are subject to a license at the discretion of NCQA. Any use of the materials to identify records or calculate measure results, for example, requires a custom license and may necessitate certification pursuant to NCQA's Measure Certification Program. Reprinted with permission by NCQA. © 2023 NCQA, all rights reserved.

Limited proprietary coding is contained in the measure specifications for convenience. NCQA disclaims all liability for use or accuracy of any third-party code values contained in the specifications.

The full text of this notice and disclaimer is available [here](http://apps.humana.com/marketing/documents.asp?file=4274309):  
<http://apps.humana.com/marketing/documents.asp?file=4274309>